

Product Data Sheet

1. Flanged fittings

1.01 All flanged Tee

Tee PN10/16
Material EN 1563 EN-GJS-400-15


Design Std. EN 545

Coating Epoxy GSK RAL-GZ 662

Approval Kiwa BRL-K772/04

RAL GÜTEZEICHEN
GEPRÜFT UND ZERTIFIZIERT
VON ANWANDERN UND KONSTRUKTIONEN
kiwa

Kolk flanged fittings are made of ductile iron GJS-400/500 (DIN1693 GGG-40/50). Designed acc. to EN 545, flange drilling acc. to EN 1092-2 (ISO 7005-2). Epoxy coated (Resicoat®) acc. to EN 14901 (DIN 30677-2) and GSK certified (RAL-GZ 662).



Tee PN10/16

Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]	
T 50/50	1.01T1.000010	PN10/16	50	50	300	150	4	125	19	4	125	19	12	
T 65/50	1.01T1.000020	PN10/16	65	50	330	158	4	145	19	4	125	19	15	
T 65/65	1.01T1.000030	PN10/16	65	65	330	165	4	145	19	4	145	19	16	
T 80/50-4	1.01T1.000040	PN10	80	50	330	160	4	160	19	4	125	19	13	
T 80/50	1.01T1.000041	PN10/16	80	50	330	160	8	160	19	4	125	19	14	
T 80/65-4	1.01T1.000051	PN10	80	65	330	160	4	160	19	4	145	19	14	
T 80/65	1.01T1.000050	PN10/16	80	65	330	160	8	160	19	4	145	19	14	
T 80/80-4	1.01T1.000060	PN10	80	80	330	165	4	160	19	4	160	19	14	
T 80/80	1.01T1.000061	PN10/16	80	80	330	165	8	160	19	8	160	19	14	
T 100/50	1.01T1.010010	PN10/16	100	50	360	170	8	180	19	4	125	19	16	
T 100/65	1.01T1.010020	PN10/16	100	65	360	170	8	180	19	4	145	19	17	
T 100/80-4	1.01T1.010030	PN10	100	80	360	175	8	180	19	4	160	19	18	
T 100/80	1.01T1.010031	PN10/16	100	80	360	175	8	180	19	8	160	19	18	
T 100/100	1.01T1.010040	PN10/16	100	100	360	180	8	180	19	8	180	19	20	
T 125/50	1.01T1.010050	PN10/16	125	50	400	185	8	210	19	4	125	19	22	
T 125/65	1.01T1.010060	PN10/16	125	65	400	185	8	210	19	4	145	19	22	
T 125/80-4	1.01T1.010070	PN10	125	80	400	190	8	210	19	4	160	19	25	
T 125/80	1.01T1.010071	PN10/16	125	80	400	190	8	210	19	8	160	19	25	
T 125/100	1.01T1.010080	PN10/16	125	100	400	195	8	210	19	8	180	19	25	
T 125/125	1.01T1.010090	PN10/16	125	125	400	200	8	210	19	8	210	19	27	
T 150/50	1.01T1.010100	PN10/16	150	50	440	200	8	240	23	4	125	19	29	
T 150/65	1.01T1.010110	PN10/16	150	65	440	200	8	240	23	4	145	19	29	
T 150/80-4	1.01T1.010120	PN10	150	80	440	205	8	240	23	4	160	19	28	
T 150/80	1.01T1.010121	PN10/16	150	80	440	205	8	240	23	8	160	19	28	
T 150/100	1.01T1.010130	PN10/16	150	100	440	210	8	240	23	8	180	19	28	

Tee PN10/16														
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]	
T 150/125	1.01T1.010140	PN10/16	150	125	440	215	8	240	23	8	210	19	30	
T 150/150	1.01T1.010150	PN10/16	150	150	440	220	8	240	23	8	240	23	30	
T 200/50	1.01T2.020010	PN10	200	50	520	225	8	295	23	4	125	19	42	
T 200/65	1.01T2.020020	PN10	200	65	520	230	8	295	23	4	145	19	42	
T 200/80-4	1.01T2.020030	PN10	200	80	520	235	8	295	23	4	160	19	42	
T 200/80	1.01T2.020031	PN10	200	80	520	235	8	295	23	8	160	19	42	
T 200/100	1.01T2.020040	PN10	200	100	520	240	8	295	23	8	180	19	43	
T 200/125	1.01T2.020050	PN10	200	125	520	245	8	295	23	8	210	19	45	
T 200/150	1.01T2.020060	PN10	200	150	520	250	8	295	23	8	240	23	46	
T 200/200	1.01T2.020070	PN10	200	200	520	260	8	295	23	8	295	23	50	
T 250/80-4	1.01T2.020080	PN10	250	80	700	265	12	350	23	4	160	19	72	
T 250/80	1.01T2.020090	PN10	250	80	700	265	12	350	23	8	160	19	72	
T 250/100	1.01T2.020100	PN10	250	100	700	275	12	350	23	8	180	19	68	
T 250/125	1.01T2.020110	PN10	250	125	700	275	12	350	23	8	210	19	70	
T 250/150	1.01T2.020120	PN10	250	150	700	300	12	350	23	8	240	23	71	
T 250/200	1.01T2.020130	PN10	250	200	700	325	12	350	23	8	295	23	76	
T 250/250	1.01T2.020140	PN10	250	250	700	350	12	350	23	12	350	23	84	
T 300/80-4	1.01T2.030010	PN10	300	80	800	290	12	400	23	4	160	19	96	
T 300/80	1.01T2.030020	PN10	300	80	800	290	12	400	23	8	160	19	96	
T 300/100	1.01T2.030030	PN10	300	100	800	300	12	400	23	8	180	19	98	
T 300/125	1.01T2.030040	PN10	300	125	800	300	12	400	23	8	210	19	100	
T 300/150	1.01T2.030050	PN10	300	150	800	325	12	400	23	8	240	23	100	
T 300/200	1.01T2.030060	PN10	300	200	800	350	12	400	23	8	295	23	106	
T 300/250	1.01T2.030070	PN10	300	250	800	375	12	400	23	12	350	23	114	
T 300/300	1.01T2.030080	PN10	300	300	800	400	12	400	23	12	400	23	117	
T 350/80-4	1.01T2.030090	PN10	350	80	850	325	16	460	23	4	160	19	116	
T 350/80	1.01T2.030100	PN10	350	80	850	325	16	460	23	8	160	19	116	
T 350/100	1.01T2.030110	PN10	350	100	850	325	16	460	23	8	180	19	116	
T 350/125	1.01T2.030120	PN10	350	125	850	325	16	460	23	8	210	19	118	
T 350/150	1.01T2.030130	PN10	350	150	850	325	16	460	23	8	240	23	120	
T 350/200	1.01T2.030140	PN10	350	200	850	325	16	460	23	8	350	23	122	
T 350/250	1.01T2.030150	PN10	350	250	850	325	16	460	23	12	350	23	126	
T 350/300	1.01T2.030160	PN10	350	300	850	425	16	460	23	12	400	23	135	
T 350/350	1.01T2.030170	PN10	350	350	850	425	16	460	23	16	460	23	144	
T 400/80-4	1.01T2.040010	PN10	400	80	900	350	16	515	28	4	160	19	155	
T 400/80	1.01T2.040020	PN10	400	80	900	350	16	515	28	8	160	19	155	
T 400/100	1.01T2.040030	PN10	400	100	900	350	16	515	28	8	180	19	160	
T 400/150	1.01T2.040040	PN10	400	150	900	350	16	515	28	8	210	19	145	
T 400/200	1.01T2.040050	PN10	400	200	900	350	16	515	28	8	240	23	160	
T 400/250	1.01T2.040060	PN10	400	250	900	350	16	515	28	12	350	23	170	
T 400/300	1.01T2.040070	PN10	400	300	900	450	16	515	28	12	400	23	180	
T 400/350	1.01T2.040080	PN10	400	350	900	450	16	515	28	16	460	23	180	
T 400/400	1.01T2.040090	PN10	400	400	900	450	16	515	28	16	515	28	184	
T 450/80-4	1.01T2.040100	PN10	450	80	950	375	20	565	28	4	160	19	180	
T 450/80	1.01T2.040110	PN10	450	80	950	375	20	565	28	8	160	19	180	
T 450/100	1.01T2.040120	PN10	450	100	950	375	20	565	28	8	180	19	180	
T 450/150	1.01T2.040130	PN10	450	150	950	375	20	565	28	8	210	19	190	

Tee PN10/16														
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]	
T 450/200	1.01T2.040140	PN10	450	200	950	375	20	565	28	8	240	23	190	
T 450/250	1.01T2.040150	PN10	450	250	950	375	20	565	28	12	350	23	200	
T 450/300	1.01T2.040160	PN10	450	300	950	475	20	565	28	12	400	23	210	
T 450/350	1.01T2.040170	PN10	450	350	950	475	20	565	28	16	460	23	210	
T 450/400	1.01T2.040180	PN10	450	400	950	475	20	565	28	16	515	28	220	
T 450/450	1.01T2.040190	PN10	450	450	950	475	20	565	28	20	565	28	230	
T 500/80-4	1.01T2.050010	PN10	500	80	1000	400	20	620	28	4	160	19	214	
T 500/80	1.01T2.050020	PN10	500	80	1000	400	20	620	28	8	160	19	214	
T 500/100	1.01T2.050030	PN10	500	100	1000	400	20	620	28	8	180	19	218	
T 500/150	1.01T2.050040	PN10	500	150	1000	400	20	620	28	8	210	19	220	
T 500/200	1.01T2.050050	PN10	500	200	1000	400	20	620	28	8	240	23	220	
T 500/250	1.01T2.050060	PN10	500	250	1000	400	20	620	28	12	350	23	260	
T 500/300	1.01T2.050070	PN10	500	300	1000	500	20	620	28	12	400	23	260	
T 500/350	1.01T2.050080	PN10	500	350	1000	500	20	620	28	16	460	23	240	
T 500/400	1.01T2.050090	PN10	500	400	1000	500	20	620	28	16	515	28	245	
T 500/450	1.01T2.050100	PN10	500	450	1000	500	20	620	28	20	565	28	252	
T 500/500	1.01T2.050110	PN10	500	500	1000	500	20	620	28	20	620	28	256	
T 600/80-4	1.01T2.060010	PN10	600	80	1100	450	20	725	31	4	160	19	310	
T 600/80	1.01T2.060020	PN10	600	80	1100	450	20	725	31	8	160	19	310	
T 600/100	1.01T2.060030	PN10	600	100	1100	450	20	725	31	8	180	19	310	
T 600/150	1.01T2.060040	PN10	600	150	1100	450	20	725	31	8	210	19	350	
T 600/200	1.01T2.060050	PN10	600	200	1100	450	20	725	31	8	240	23	360	
T 600/250	1.01T2.060060	PN10	600	250	1100	450	20	725	31	12	350	23	330	
T 600/300	1.01T2.060070	PN10	600	300	1100	550	20	725	31	12	400	23	360	
T 600/350	1.01T2.060080	PN10	600	350	1100	550	20	725	31	16	460	23	350	
T 600/400	1.01T2.060090	PN10	600	400	1100	550	20	725	31	16	515	28	335	
T 600/450	1.01T2.060100	PN10	600	450	1100	550	20	725	31	20	565	28	355	
T 600/500	1.01T2.060110	PN10	600	500	1100	550	20	725	31	20	620	28	370	
T 600/600	1.01T2.060120	PN10	600	600	1100	550	20	725	31	20	725	31	370	
T 700/80	1.01T2.070010	PN10	700	80	540	510	24	840	31	8	160	19	255	
T 700/100	1.01T2.070020	PN10	700	100	540	510	24	840	31	8	180	19	270	
T 700/150	1.01T2.070030	PN10	700	150	600	520	24	840	31	8	210	19	270	
T 700/200	1.01T2.070040	PN10	700	200	650	525	24	840	31	8	240	23	276	
T 700/250	1.01T2.070050	PN10	700	250	705	530	24	840	31	12	350	23	340	
T 700/300	1.01T2.070060	PN10	700	300	760	540	24	840	31	12	400	23	344	
T 700/350	1.01T2.070070	PN10	700	350	815	550	24	840	31	16	460	23	350	
T 700/400	1.01T2.070080	PN10	700	400	870	555	24	840	31	16	515	28	360	
T 700/450	1.01T2.070090	PN10	700	450	925	560	24	840	31	20	565	28	380	
T 700/500	1.01T2.070100	PN10	700	500	990	560	24	840	31	20	620	28	408	
T 700/600	1.01T2.070110	PN10	700	600	1200	585	24	840	31	20	725	31	535	
T 700/700	1.01T2.070120	PN10	700	700	1200	600	24	840	31	24	840	31	510	
T 800/80	1.01T2.080010	PN10	800	80	570	580	24	950	34	8	160	19	354	
T 800/100	1.01T2.080020	PN10	800	100	670	580	24	950	34	8	180	19	354	
T 800/150	1.01T2.080030	PN10	800	150	635	580	24	950	34	8	210	19	356	
T 800/200	1.01T2.080040	PN10	800	200	690	585	24	950	34	8	240	23	380	
T 800/250	1.01T2.080050	PN10	800	250	745	590	24	950	34	12	350	23	380	
T 800/300	1.01T2.080060	PN10	800	300	800	600	24	950	34	12	400	23	443	

Tee PN10/16													
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]
T 800/350	1.01T2.080070	PN10	800	350	855	610	24	950	34	16	460	23	450
T 800/400	1.01T2.080080	PN10	800	400	910	615	24	950	34	16	515	28	468
T 800/450	1.01T2.080090	PN10	800	450	1030	620	24	950	34	20	565	28	480
T 800/500	1.01T2.080100	PN10	800	500	1030	620	24	950	34	20	620	28	488
T 800/600	1.01T2.080110	PN10	800	600	1350	645	24	950	34	20	725	31	638
T 800/700	1.01T2.080120	PN10	800	700	1350	660	24	950	34	24	840	31	657
T 800/800	1.01T2.080130	PN10	800	800	1350	675	24	950	34	24	950	34	687
T 900/80	1.01T2.090010	PN10	900	80	720	495	28	1050	34	8	160	19	446
T 900/100	1.01T2.090020	PN10	900	100	720	495	28	1050	34	8	180	19	446
T 900/150	1.01T2.090030	PN10	900	150	720	495	28	1050	34	8	210	19	455
T 900/200	1.01T2.090040	PN10	900	200	730	645	28	1050	34	8	240	23	450
T 900/250	1.01T2.090050	PN10	900	250	785	650	28	1050	34	12	350	23	514
T 900/300	1.01T2.090060	PN10	900	300	840	660	28	1050	34	12	400	23	530
T 900/350	1.01T2.090070	PN10	900	350	895	670	28	1050	34	16	460	23	540
T 900/400	1.01T2.090080	PN10	900	400	950	675	28	1050	34	16	515	28	540
T 900/450	1.01T2.090090	PN10	900	450	1005	680	28	1050	34	20	565	28	720
T 900/500	1.01T2.090100	PN10	900	500	1080	680	28	1050	34	20	620	28	784
T 900/600	1.01T2.090110	PN10	900	600	1500	705	28	1050	34	20	725	31	738
T 900/700	1.01T2.090120	PN10	900	700	1500	720	28	1050	34	24	840	31	850
T 900/800	1.01T2.090130	PN10	900	800	1500	735	28	1050	34	24	950	34	877
T 900/900	1.01T2.090140	PN10	900	900	1500	750	28	1050	34	28	1050	34	900
T 1000/80	1.01T2.100010	PN10	1000	80	770	705	28	1160	37	8	160	19	590
T 1000/100	1.01T2.100020	PN10	1000	100	770	705	28	1160	37	8	180	19	590
T 1000/150	1.01T2.100030	PN10	1000	150	770	705	28	1160	37	8	210	19	570
T 1000/200	1.01T2.100040	PN10	1000	200	770	705	28	1160	37	8	240	23	558
T 1000/250	1.01T2.100050	PN10	1000	250	825	710	28	1160	37	12	350	23	590
T 1000/300	1.01T2.100060	PN10	1000	300	880	720	28	1160	37	12	400	23	690
T 1000/350	1.01T2.100070	PN10	1000	350	935	730	28	1160	37	16	460	23	700
T 1000/400	1.01T2.100080	PN10	1000	400	990	735	28	1160	37	16	515	28	720
T 1000/450	1.01T2.100090	PN10	1000	450	1045	740	28	1160	37	20	565	28	790
T 1000/500	1.01T2.100100	PN10	1000	500	1100	750	28	1160	37	20	620	28	890
T 1000/600	1.01T2.100110	PN10	1000	600	1650	765	28	1160	37	20	725	31	1090
T 1000/700	1.01T2.100120	PN10	1000	700	1650	780	28	1160	37	24	840	31	1090
T 1000/800	1.01T2.100130	PN10	1000	800	1650	795	28	1160	37	24	950	34	1090
T 1000/900	1.01T2.100140	PN10	1000	900	1650	810	28	1160	37	28	1050	34	1130
T 1000/1000	1.01T2.100150	PN10	1000	1000	1650	825	28	1160	37	28	1160	37	1150
T 1200/80	1.01T2.120010	PN10	1200	80	635	805	32	1380	41	8	160	19	750
T 1200/100	1.01T2.120020	PN10	1200	100	660	810	32	1380	41	8	180	19	750
T 1200/150	1.01T2.120030	PN10	1200	150	715	815	32	1380	41	8	210	19	880
T 1200/200	1.01T2.120040	PN10	1200	200	775	825	32	1380	41	8	240	23	842
T 1200/250	1.01T2.120050	PN10	1200	250	830	830	32	1380	41	12	350	23	980
T 1200/300	1.01T2.120060	PN10	1200	300	890	840	32	1380	41	12	400	23	1030
T 1200/350	1.01T2.120070	PN10	1200	350	950	850	32	1380	41	16	460	23	1030
T 1200/400	1.01T2.120080	PN10	1200	400	1005	855	32	1380	41	16	515	28	1120
T 1200/450	1.01T2.120090	PN10	1200	450	1065	860	32	1380	41	20	565	28	1150
T 1200/500	1.01T2.120100	PN10	1200	500	1120	870	32	1380	41	20	620	28	1150
T 1200/600	1.01T2.120110	PN10	1200	600	1240	885	32	1380	41	20	725	31	1220

Tee PN10/16													
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]
T 1200/700	1.01T2.120120	PN10	1200	700	1355	900	32	1380	41	24	840	31	1420
T 1200/800	1.01T2.120130	PN10	1200	800	1470	915	32	1380	41	24	950	34	1500
T 1200/900	1.01T2.120140	PN10	1200	900	1585	930	32	1380	41	28	1050	34	1520
T 1200/1000	1.01T2.120150	PN10	1200	1000	1700	945	32	1380	41	28	1160	37	1620
T 1200/1100	1.01T2.120160	PN10	1200	1100	1720	960	32	1380	41	32	1270	37	1710
T 1200/1200	1.01T2.120170	PN10	1200	1200	1935	975	32	1380	41	32	1380	41	1800
T 200/50	1.01T3.020010	PN16	200	50	520	225	12	295	23	4	125	19	42
T 200/80	1.01T3.020020	PN16	200	80	520	235	12	295	23	8	160	19	43
T 200/100	1.01T3.020030	PN16	200	100	520	240	12	295	23	8	180	19	43
T 200/125	1.01T3.020040	PN16	200	125	520	245	12	295	23	8	210	19	50
T 200/150	1.01T3.020050	PN16	200	150	520	250	12	295	23	8	240	23	47
T 200/200	1.01T3.020060	PN16	200	200	520	260	12	295	23	12	295	23	50
T 250/80	1.01T3.020070	PN16	250	80	700	265	12	355	28	8	160	19	72
T 250/100	1.01T3.020080	PN16	250	100	700	275	12	355	28	8	180	19	68
T 250/125	1.01T3.020090	PN16	250	125	700	275	12	355	28	8	210	19	70
T 250/150	1.01T3.020100	PN16	250	150	700	300	12	355	28	8	240	23	71
T 250/200	1.01T3.020110	PN16	250	200	700	325	12	355	28	12	295	23	76
T 250/250	1.01T3.020120	PN16	250	250	700	350	12	355	28	12	355	28	84
T 300/80	1.01T3.030010	PN16	300	80	800	290	12	410	28	8	160	19	98
T 300/100	1.01T3.030020	PN16	300	100	800	300	12	410	28	8	180	19	95
T 300/125	1.01T3.030030	PN16	300	125	800	300	12	410	28	8	210	19	110
T 300/150	1.01T3.030040	PN16	300	150	800	325	12	410	28	8	240	23	101
T 300/200	1.01T3.030050	PN16	300	200	800	350	12	410	28	12	295	23	106
T 300/250	1.01T3.030060	PN16	300	250	800	375	12	410	28	12	355	28	117
T 300/300	1.01T3.030070	PN16	300	300	800	400	12	410	28	12	410	28	117
T 350/80	1.01T3.030080	PN16	350	80	850	325	16	470	28	8	160	19	118
T 350/100	1.01T3.030090	PN16	350	100	850	325	16	470	28	8	180	19	118
T 350/125	1.01T3.030100	PN16	350	125	850	325	16	470	28	8	210	19	118
T 350/150	1.01T3.030110	PN16	350	150	850	325	16	470	28	8	240	23	118
T 350/200	1.01T3.030120	PN16	350	200	850	325	16	470	28	12	295	23	122
T 350/250	1.01T3.030130	PN16	350	250	850	325	16	470	28	12	355	28	130
T 350/300	1.01T3.030140	PN16	350	300	850	425	16	470	28	12	410	28	140
T 350/350	1.01T3.030150	PN16	350	350	850	425	16	470	28	16	470	28	144
T 400/80	1.01T3.040010	PN16	400	80	900	350	16	525	31	8	160	19	165
T 400/100	1.01T3.040020	PN16	400	100	900	350	16	525	31	8	180	19	145
T 400/150	1.01T3.040040	PN16	400	150	900	350	16	525	31	8	240	23	162
T 400/200	1.01T3.040050	PN16	400	200	900	350	16	525	31	12	295	23	150
T 400/250	1.01T3.040060	PN16	400	250	900	350	16	525	31	12	355	28	155
T 400/300	1.01T3.040070	PN16	400	300	900	450	16	525	31	12	410	28	180
T 400/350	1.01T3.040080	PN16	400	350	900	450	16	525	31	16	470	28	180
T 400/400	1.01T3.040090	PN16	400	400	900	450	16	525	31	16	525	31	180
T 450/80	1.01T3.040100	PN16	450	80	950	375	20	585	31	8	160	19	180
T 450/100	1.01T3.040110	PN16	450	100	950	375	20	585	31	8	180	19	180
T 450/150	1.01T3.040120	PN16	450	150	950	375	20	585	31	8	240	23	175
T 450/200	1.01T3.040130	PN16	450	200	950	375	20	585	31	12	295	23	180
T 450/250	1.01T3.040140	PN16	450	250	950	375	20	585	31	12	355	28	180
T 450/300	1.01T3.040150	PN16	450	300	950	475	20	585	31	12	410	28	196

Tee PN10/16														
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]	
T 450/350	1.01T3.040160	PN16	450	350	950	475	20	585	31	16	470	28	200	
T 450/400	1.01T3.040170	PN16	450	400	950	475	20	585	31	16	525	31	210	
T 450/450	1.01T3.040180	PN16	450	450	950	475	20	585	31	20	585	31	215	
T 500/80	1.01T3.050010	PN16	500	80	1000	400	20	650	34	8	160	19	215	
T 500/100	1.01T3.050020	PN16	500	100	1000	400	20	650	34	8	180	19	215	
T 500/150	1.01T3.050030	PN16	500	150	1000	400	20	650	34	8	240	23	210	
T 500/200	1.01T3.050040	PN16	500	200	1000	400	20	650	34	12	295	23	220	
T 500/250	1.01T3.050050	PN16	500	250	1000	400	20	650	34	12	355	28	263	
T 500/300	1.01T3.050060	PN16	500	300	1000	500	20	650	34	12	410	28	266	
T 500/350	1.01T3.050070	PN16	500	350	1000	500	20	650	34	16	470	28	240	
T 500/400	1.01T3.050080	PN16	500	400	1000	500	20	650	34	16	525	31	245	
T 500/450	1.01T3.050090	PN16	500	450	1000	500	20	650	34	20	585	31	252	
T 500/500	1.01T3.050100	PN16	500	500	1000	500	20	650	34	20	650	34	256	
T 600/80	1.01T3.060010	PN16	600	80	1100	450	20	770	37	8	160	19	310	
T 600/100	1.01T3.060020	PN16	600	100	1100	450	20	770	37	8	180	19	315	
T 600/150	1.01T3.060030	PN16	600	150	1100	450	20	770	37	8	240	23	320	
T 600/200	1.01T3.060040	PN16	600	200	1100	450	20	770	37	12	295	23	310	
T 600/250	1.01T3.060050	PN16	600	250	1100	450	20	770	37	12	355	28	310	
T 600/300	1.01T3.060060	PN16	600	300	1100	550	20	770	37	12	410	28	320	
T 600/350	1.01T3.060070	PN16	600	350	1100	550	20	770	37	16	470	28	330	
T 600/400	1.01T3.060080	PN16	600	400	1100	550	20	770	37	16	525	31	335	
T 600/450	1.01T3.060090	PN16	600	450	1100	550	20	770	37	20	585	31	355	
T 600/500	1.01T3.060100	PN16	600	500	1100	550	20	770	37	20	650	34	370	
T 600/600	1.01T3.060110	PN16	600	600	1100	550	20	770	37	20	770	37	370	
T 700/80	1.01T3.070010	PN16	700	80	540	510	24	840	37	8	160	19	255	
T 700/100	1.01T3.070020	PN16	700	100	540	510	24	840	37	8	180	19	275	
T 700/150	1.01T3.070030	PN16	700	150	600	520	24	840	37	8	240	23	275	
T 700/200	1.01T3.070040	PN16	700	200	650	525	24	840	37	12	295	23	276	
T 700/250	1.01T3.070050	PN16	700	250	705	530	24	840	37	12	355	28	340	
T 700/300	1.01T3.070060	PN16	700	300	760	540	24	840	37	12	410	28	348	
T 700/350	1.01T3.070070	PN16	700	350	815	550	24	840	37	16	470	28	350	
T 700/400	1.01T3.070080	PN16	700	400	870	555	24	840	37	16	525	31	360	
T 700/450	1.01T3.070090	PN16	700	450	925	560	24	840	37	20	585	31	470	
T 700/500	1.01T3.070100	PN16	700	500	990	560	24	840	37	20	650	34	470	
T 700/600	1.01T3.070110	PN16	700	600	1200	585	24	840	37	20	770	37	535	
T 700/700	1.01T3.070120	PN16	700	700	1200	600	24	840	37	24	840	37	510	
T 800/80	1.01T3.080010	PN16	800	80	570	580	24	950	41	8	160	19	354	
T 800/100	1.01T3.080020	PN16	800	100	670	580	24	950	41	8	180	19	356	
T 800/150	1.01T3.080030	PN16	800	150	635	580	24	950	41	8	240	23	356	
T 800/200	1.01T3.080040	PN16	800	200	690	585	24	950	41	12	295	23	380	
T 800/250	1.01T3.080050	PN16	800	250	745	590	24	950	41	12	355	28	456	
T 800/300	1.01T3.080060	PN16	800	300	800	600	24	950	41	12	410	28	462	
T 800/350	1.01T3.080070	PN16	800	350	855	610	24	950	41	16	470	28	468	
T 800/400	1.01T3.080080	PN16	800	400	910	615	24	950	41	16	525	31	468	
T 800/450	1.01T3.080090	PN16	800	450	1030	620	24	950	41	20	585	31	625	
T 800/500	1.01T3.080100	PN16	800	500	1030	620	24	950	41	20	650	34	625	
T 800/600	1.01T3.080110	PN16	800	600	1350	645	24	950	41	20	770	37	638	

Tee PN10/16													
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]
T 800/700	1.01T3.080120	PN16	800	700	1350	660	24	950	41	24	840	37	658
T 800/800	1.01T3.080130	PN16	800	800	1350	675	24	950	41	24	950	41	688
T 900/80	1.01T3.090010	PN16	900	80	720	495	28	1050	41	8	160	19	446
T 900/100	1.01T3.090020	PN16	900	100	720	495	28	1050	41	8	180	19	446
T 900/150	1.01T3.090030	PN16	900	150	720	495	28	1050	41	8	240	23	455
T 900/200	1.01T3.090040	PN16	900	200	730	645	28	1050	41	12	295	23	455
T 900/250	1.01T3.090050	PN16	900	250	785	650	28	1050	41	12	355	28	514
T 900/300	1.01T3.090060	PN16	900	300	840	660	28	1050	41	12	410	28	502
T 900/350	1.01T3.090070	PN16	900	350	895	670	28	1050	41	16	470	28	520
T 900/400	1.01T3.090080	PN16	900	400	950	675	28	1050	41	16	525	31	568
T 900/450	1.01T3.090090	PN16	900	450	1005	680	28	1050	41	20	585	31	720
T 900/500	1.01T3.090100	PN16	900	500	1080	680	28	1050	41	20	650	34	790
T 900/600	1.01T3.090110	PN16	900	600	1500	705	28	1050	41	20	770	37	826
T 900/700	1.01T3.090120	PN16	900	700	1500	720	28	1050	41	24	840	37	850
T 900/800	1.01T3.090130	PN16	900	800	1500	735	28	1050	41	24	950	41	877
T 900/900	1.01T3.090140	PN16	900	900	1500	750	28	1050	41	28	1050	41	900
T 1000/80	1.01T3.100010	PN16	1000	80	770	705	28	1170	44	8	160	19	590
T 1000/100	1.01T3.100020	PN16	1000	100	770	705	28	1170	44	8	180	19	590
T 1000/150	1.01T3.100030	PN16	1000	150	770	705	28	1170	44	8	240	23	570
T 1000/200	1.01T3.100040	PN16	1000	200	770	705	28	1170	44	12	295	23	590
T 1000/250	1.01T3.100050	PN16	1000	250	825	710	28	1170	44	12	355	28	660
T 1000/300	1.01T3.100060	PN16	1000	300	880	720	28	1170	44	12	410	28	690
T 1000/350	1.01T3.100070	PN16	1000	350	935	730	28	1170	44	16	470	28	700
T 1000/400	1.01T3.100080	PN16	1000	400	990	735	28	1170	44	16	525	31	720
T 1000/450	1.01T3.100090	PN16	1000	450	1045	740	28	1170	44	20	585	31	790
T 1000/500	1.01T3.100100	PN16	1000	500	1100	750	28	1170	44	20	650	34	890
T 1000/600	1.01T3.100110	PN16	1000	600	1650	765	28	1170	44	20	770	37	1100
T 1000/700	1.01T3.100120	PN16	1000	700	1650	780	28	1170	44	24	840	37	1090
T 1000/800	1.01T3.100130	PN16	1000	800	1650	795	28	1170	44	24	950	41	1090
T 1000/900	1.01T3.100140	PN16	1000	900	1650	810	28	1170	44	28	1050	41	1130
T 1000/1000	1.01T3.100150	PN16	1000	1000	1650	825	28	1170	44	28	1170	44	1180
T 1200/80	1.01T3.120010	PN16	1200	80	635	805	32	1390	50	8	160	19	750
T 1200/100	1.01T3.120020	PN16	1200	100	660	810	32	1390	50	8	180	19	750
T 1200/150	1.01T3.120030	PN16	1200	150	715	815	32	1390	50	8	240	23	880
T 1200/200	1.01T3.120040	PN16	1200	200	775	825	32	1390	50	12	295	23	880
T 1200/250	1.01T3.120050	PN16	1200	250	830	830	32	1390	50	12	355	28	980
T 1200/300	1.01T3.120060	PN16	1200	300	890	840	32	1390	50	12	410	28	1030
T 1200/350	1.01T3.120070	PN16	1200	350	950	850	32	1390	50	16	470	28	1030
T 1200/400	1.01T3.120080	PN16	1200	400	1005	855	32	1390	50	16	525	31	1120
T 1200/450	1.01T3.120090	PN16	1200	450	1065	860	32	1390	50	20	585	31	1150
T 1200/500	1.01T3.120100	PN16	1200	500	1120	870	32	1390	50	20	650	34	1150
T 1200/600	1.01T3.120110	PN16	1200	600	1240	885	32	1390	50	20	770	37	1220
T 1200/700	1.01T3.120120	PN16	1200	700	1355	900	32	1390	50	24	840	37	1420
T 1200/800	1.01T3.120130	PN16	1200	800	1470	915	32	1390	50	24	950	41	1500
T 1200/900	1.01T3.120140	PN16	1200	900	1585	930	32	1390	50	28	1050	41	1520
T 1200/1000	1.01T3.120150	PN16	1200	1000	1700	945	32	1390	50	28	1170	44	1620
T 1200/1100	1.01T3.120160	PN16	1200	1100	1720	960	32	1390	50	32	1270	44	1710

Tee PN10/16													
Article	Article Nr.	PN	ø DN [mm]	ø DN2 [mm]	L [mm]	H [mm]	Holes # [DN]	ø K [mm]	ø S [mm]	Holes # [DN2]	ø K2 [mm]	ø S2 [mm]	G [kg]
T 1200/1200	1.01T3.120170	PN16	1200	1200	1935	975	32	1390	50	32	1390	50	1800