

## Product Data Sheet

### 1. Flanged fittings

1.01 All flanged Tee

**Tee 45° branch (FFC) PN10/16**

**Material** EN 1563 EN-GJS-400-15

**Design Std** EN 545

**Coating** Epoxy GSK RAL-GZ 662

**Approval** Kiwa BRL-K772/04




RAL-GÜTEZEICHEN

VERBODEN TOEGEGAVEN  
VOR ABSTRAKTEN UND SCHUTZZEICHEN

kiwa



Kolk flanged fittings are made of ductile iron GJS-400/500 (DIN1693 GGG-40/50). Designed acc. to EN 545, flange drilling acc. to EN 1092-2 (ISO 7005-2). Epoxy coated (Resicoat®) acc. to EN 14901 (DIN 30677-2) and GSK certified (RAL-GZ 662).



### Tee 45° branch (FFC) PN10/16

| Article     | Article Nr.     | PN      | Ø DN [mm] | Ø DN2 [mm] | L [mm] | L1 [mm] | L2 [mm] | Holes # [DN] | Ø K [mm] | Ø S [mm] | Holes # [DN2] | Ø K2 [mm] | Ø S2 [mm] | G [kg] |  |
|-------------|-----------------|---------|-----------|------------|--------|---------|---------|--------------|----------|----------|---------------|-----------|-----------|--------|--|
| FFC 80/80   | 1.01FFC1.000010 | PN10/16 | 80        | 80         | 360    | 280     | 80      | 8            | 160      | 19       | 8             | 160       | 19        | 23     |  |
| FFC 100/100 | 1.01FFC1.010010 | PN10/16 | 100       | 100        | 400    | 310     | 90      | 8            | 180      | 19       | 8             | 180       | 19        | 28     |  |
| FFC 125/125 | 1.01FFC1.010020 | PN10/16 | 125       | 125        | 450    | 350     | 100     | 8            | 210      | 19       | 8             | 210       | 19        | 35     |  |
| FFC 150/100 | 1.01FFC1.010030 | PN10/16 | 150       | 100        | 500    | 375     | 125     | 8            | 240      | 23       | 8             | 180       | 19        | 40     |  |
| FFC 150/150 | 1.01FFC1.010040 | PN10/16 | 150       | 150        | 500    | 390     | 110     | 8            | 240      | 23       | 8             | 240       | 23        | 52     |  |
| FFC 200/150 | 1.01FFC2.020010 | PN10    | 200       | 150        | 600    | 430     | 170     | 8            | 295      | 23       | 8             | 240       | 23        | 54     |  |
| FFC 200/200 | 1.01FFC2.020020 | PN10    | 200       | 200        | 600    | 470     | 130     | 8            | 295      | 23       | 8             | 295       | 23        | 80     |  |
| FFC 250/150 | 1.01FFC2.020030 | PN10    | 250       | 150        | 700    | 500     | 200     | 12           | 350      | 23       | 8             | 240       | 23        | 78     |  |
| FFC 250/200 | 1.01FFC2.020040 | PN10    | 250       | 200        | 700    | 525     | 175     | 12           | 350      | 23       | 8             | 295       | 23        | 84     |  |
| FFC 250/250 | 1.01FFC2.020050 | PN10    | 250       | 250        | 700    | 550     | 150     | 12           | 350      | 23       | 12            | 350       | 23        | 116    |  |
| FFC 300/100 | 1.01FFC2.030010 | PN10    | 300       | 100        | 800    | 480     | 320     | 12           | 400      | 23       | 8             | 180       | 19        | 141    |  |
| FFC 300/150 | 1.01FFC2.030020 | PN10    | 300       | 150        | 800    | 500     | 300     | 12           | 400      | 23       | 8             | 240       | 23        | 104    |  |
| FFC 300/200 | 1.01FFC2.030030 | PN10    | 300       | 200        | 800    | 550     | 250     | 12           | 400      | 23       | 8             | 295       | 23        | 153    |  |
| FFC 300/250 | 1.01FFC2.030040 | PN10    | 300       | 250        | 800    | 620     | 180     | 12           | 400      | 23       | 12            | 350       | 23        | 126    |  |
| FFC 300/300 | 1.01FFC2.030050 | PN10    | 300       | 300        | 800    | 670     | 130     | 12           | 400      | 23       | 12            | 400       | 23        | 146    |  |
| FFC 350/100 | 1.01FFC2.030060 | PN10    | 350       | 100        | 900    | 550     | 350     | 16           | 460      | 23       | 8             | 180       | 19        | 180    |  |
| FFC 350/150 | 1.01FFC2.030070 | PN10    | 350       | 150        | 900    | 560     | 340     | 16           | 460      | 23       | 8             | 240       | 23        | 186    |  |
| FFC 350/200 | 1.01FFC2.030080 | PN10    | 350       | 200        | 900    | 600     | 300     | 16           | 460      | 23       | 8             | 295       | 23        | 190    |  |
| FFC 350/250 | 1.01FFC2.030090 | PN10    | 350       | 250        | 900    | 660     | 240     | 16           | 460      | 23       | 12            | 350       | 23        | 200    |  |
| FFC 350/300 | 1.01FFC2.030100 | PN10    | 350       | 300        | 900    | 670     | 230     | 16           | 460      | 23       | 12            | 400       | 23        | 220    |  |
| FFC 350/350 | 1.01FFC2.030110 | PN10    | 350       | 350        | 900    | 700     | 200     | 16           | 460      | 23       | 16            | 460       | 23        | 225    |  |
| FFC 400/150 | 1.01FFC2.040010 | PN10    | 400       | 150        | 1000   | 580     | 420     | 16           | 515      | 28       | 8             | 240       | 23        | 130    |  |
| FFC 400/200 | 1.01FFC2.040020 | PN10    | 400       | 200        | 1000   | 650     | 350     | 16           | 515      | 28       | 8             | 295       | 23        | 235    |  |
| FFC 400/250 | 1.01FFC2.040030 | PN10    | 400       | 250        | 1000   | 700     | 300     | 16           | 515      | 28       | 12            | 350       | 23        | 255    |  |
| FFC 400/300 | 1.01FFC2.040040 | PN10    | 400       | 300        | 1000   | 750     | 250     | 16           | 515      | 28       | 12            | 400       | 23        | 275    |  |

**Tee 45° branch (FFC) PN10/16**

| Article       | Article Nr.     | PN   | ø DN<br>[mm] | ø<br>DN2<br>[mm] | L<br>[mm] | L1<br>[mm] | L2<br>[mm] | Holes<br># [DN] | ø K<br>[mm] | ø S<br>[mm] | Holes<br># [DN2] | ø K2<br>[mm] | ø S2<br>[mm] | G<br>[kg] |  |
|---------------|-----------------|------|--------------|------------------|-----------|------------|------------|-----------------|-------------|-------------|------------------|--------------|--------------|-----------|--|
| FFC 400/350   | 1.01FFC2.040050 | PN10 | 400          | 350              | 1000      | 720        | 280        | 16              | 515         | 28          | 16               | 460          | 23           | 290       |  |
| FFC 400/400   | 1.01FFC2.040060 | PN10 | 400          | 400              | 1000      | 800        | 200        | 16              | 515         | 28          | 16               | 515          | 28           | 300       |  |
| FFC 450/450   | 1.01FFC2.040070 | PN10 | 450          | 450              | 1160      | 935        | 225        | 20              | 565         | 28          | 20               | 565          | 28           | 380       |  |
| FFC 500/200   | 1.01FFC2.050010 | PN10 | 500          | 200              | 1000      | 750        | 250        | 20              | 620         | 28          | 8                | 295          | 23           | 350       |  |
| FFC 500/250   | 1.01FFC2.050020 | PN10 | 500          | 250              | 1000      | 770        | 230        | 20              | 620         | 28          | 12               | 350          | 23           | 360       |  |
| FFC 500/300   | 1.01FFC2.050030 | PN10 | 500          | 300              | 1000      | 820        | 180        | 20              | 620         | 28          | 12               | 400          | 23           | 380       |  |
| FFC 500/350   | 1.01FFC2.050040 | PN10 | 500          | 350              | 1000      | 800        | 200        | 20              | 620         | 28          | 16               | 460          | 23           | 400       |  |
| FFC 500/400   | 1.01FFC2.050050 | PN10 | 500          | 400              | 1000      | 880        | 120        | 20              | 620         | 28          | 16               | 515          | 28           | 420       |  |
| FFC 500/500   | 1.01FFC2.050060 | PN10 | 500          | 500              | 1200      | 850        | 350        | 20              | 620         | 28          | 20               | 620          | 28           | 440       |  |
| FFC 600/200   | 1.01FFC2.060010 | PN10 | 600          | 200              | 1100      | 800        | 300        | 20              | 725         | 31          | 8                | 295          | 23           | 430       |  |
| FFC 600/250   | 1.01FFC2.060020 | PN10 | 600          | 250              | 1100      | 850        | 250        | 20              | 725         | 31          | 12               | 350          | 23           | 445       |  |
| FFC 600/300   | 1.01FFC2.060030 | PN10 | 600          | 300              | 1100      | 900        | 200        | 20              | 725         | 31          | 12               | 400          | 23           | 460       |  |
| FFC 600/350   | 1.01FFC2.060040 | PN10 | 600          | 350              | 1100      | 950        | 150        | 20              | 725         | 31          | 16               | 460          | 23           | 485       |  |
| FFC 600/400   | 1.01FFC2.060050 | PN10 | 600          | 400              | 1100      | 1000       | 100        | 20              | 725         | 31          | 16               | 515          | 28           | 520       |  |
| FFC 600/500   | 1.01FFC2.060060 | PN10 | 600          | 500              | 1100      | 970        | 130        | 20              | 725         | 31          | 20               | 620          | 28           | 560       |  |
| FFC 600/600   | 1.01FFC2.060070 | PN10 | 600          | 600              |           |            |            | 20              | 725         | 31          | 20               | 725          | 31           | 625       |  |
| FFC 700/300   | 1.01FFC2.070010 | PN10 | 700          | 300              |           |            |            | 24              | 840         | 31          | 12               | 400          | 23           | 400       |  |
| FFC 700/350   | 1.01FFC2.070020 | PN10 | 700          | 350              |           |            |            | 24              | 840         | 31          | 16               | 460          | 23           | 410       |  |
| FFC 700/400   | 1.01FFC2.070030 | PN10 | 700          | 400              |           |            |            | 24              | 840         | 31          | 16               | 515          | 28           | 450       |  |
| FFC 700/500   | 1.01FFC2.070040 | PN10 | 700          | 500              |           |            |            | 24              | 840         | 31          | 20               | 620          | 28           | 515       |  |
| FFC 700/600   | 1.01FFC2.070050 | PN10 | 700          | 600              |           |            |            | 24              | 840         | 31          | 20               | 725          | 31           | 625       |  |
| FFC 700/700   | 1.01FFC2.070060 | PN10 | 700          | 700              |           |            |            | 24              | 840         | 31          | 24               | 840          | 31           | 870       |  |
| FFC 800/400   | 1.01FFC2.080010 | PN10 | 800          | 400              |           |            |            | 24              | 950         | 34          | 16               | 515          | 28           | 835       |  |
| FFC 800/500   | 1.01FFC2.080020 | PN10 | 800          | 500              |           |            |            | 24              | 950         | 34          | 20               | 620          | 28           | 750       |  |
| FFC 800/600   | 1.01FFC2.080030 | PN10 | 800          | 600              |           |            |            | 24              | 950         | 34          | 20               | 725          | 31           | 840       |  |
| FFC 800/700   | 1.01FFC2.080040 | PN10 | 800          | 700              |           |            |            | 24              | 950         | 34          | 24               | 840          | 31           | 860       |  |
| FFC 800/800   | 1.01FFC2.080050 | PN10 | 800          | 800              |           |            |            | 24              | 950         | 34          | 24               | 950          | 34           | 1295      |  |
| FFC 900/400   | 1.01FFC2.090010 | PN10 | 900          | 400              |           |            |            | 28              | 1050        | 34          | 16               | 515          | 28           | 700       |  |
| FFC 900/500   | 1.01FFC2.090020 | PN10 | 900          | 500              |           |            |            | 28              | 1050        | 34          | 20               | 620          | 28           | 790       |  |
| FFC 900/600   | 1.01FFC2.090030 | PN10 | 900          | 600              |           |            |            | 28              | 1050        | 34          | 20               | 725          | 31           | 860       |  |
| FFC 900/700   | 1.01FFC2.090040 | PN10 | 900          | 700              |           |            |            | 28              | 1050        | 34          | 24               | 840          | 31           | 1000      |  |
| FFC 900/800   | 1.01FFC2.090050 | PN10 | 900          | 800              |           |            |            | 28              | 1050        | 34          | 24               | 950          | 34           | 1200      |  |
| FFC 900/900   | 1.01FFC2.090060 | PN10 | 900          | 900              |           |            |            | 28              | 1050        | 34          | 28               | 1050         | 34           | 1350      |  |
| FFC 1000/400  | 1.01FFC2.100010 | PN10 | 1000         | 400              |           |            |            | 28              | 1160        | 37          | 16               | 515          | 28           | 890       |  |
| FFC 1000/500  | 1.01FFC2.100020 | PN10 | 1000         | 500              |           |            |            | 28              | 1160        | 37          | 20               | 620          | 28           | 990       |  |
| FFC 1000/600  | 1.01FFC2.100030 | PN10 | 1000         | 600              |           |            |            | 28              | 1160        | 37          | 20               | 725          | 31           | 1080      |  |
| FFC 1000/700  | 1.01FFC2.100040 | PN10 | 1000         | 700              |           |            |            | 28              | 1160        | 37          | 24               | 840          | 31           | 1180      |  |
| FFC 1000/800  | 1.01FFC2.100050 | PN10 | 1000         | 800              |           |            |            | 28              | 1160        | 37          | 24               | 950          | 34           | 1380      |  |
| FFC 1000/900  | 1.01FFC2.100060 | PN10 | 1000         | 900              |           |            |            | 28              | 1160        | 37          | 28               | 1050         | 34           | 1600      |  |
| FFC 1000/1000 | 1.01FFC2.100070 | PN10 | 1000         | 1000             |           |            |            | 28              | 1160        | 37          | 28               | 1160         | 37           | 1735      |  |
| FFC 200/150   | 1.01FFC3.020010 | PN16 | 200          | 150              |           |            |            | 12              | 295         | 23          | 8                | 240          | 23           | 54        |  |
| FFC 200/200   | 1.01FFC3.020020 | PN16 | 200          | 200              |           |            |            | 12              | 295         | 23          | 12               | 295          | 23           | 80        |  |
| FFC 250/150   | 1.01FFC3.020030 | PN16 | 250          | 150              |           |            |            | 12              | 355         | 28          | 8                | 240          | 23           | 78        |  |
| FFC 250/200   | 1.01FFC3.020040 | PN16 | 250          | 200              |           |            |            | 12              | 355         | 28          | 12               | 295          | 23           | 84        |  |
| FFC 250/250   | 1.01FFC3.020050 | PN16 | 250          | 250              |           |            |            | 12              | 355         | 28          | 12               | 355          | 28           | 116       |  |
| FFC 300/100   | 1.01FFC3.030010 | PN16 | 300          | 100              |           |            |            | 12              | 410         | 28          | 8                | 180          | 19           | 141       |  |
| FFC 300/150   | 1.01FFC3.030020 | PN16 | 300          | 150              |           |            |            | 12              | 410         | 28          | 8                | 240          | 23           | 104       |  |

**Tee 45° branch (FFC) PN10/16**

| Article      | Article Nr.     | PN   | ø DN<br>[mm] | ø<br>DN2<br>[mm] | L<br>[mm] | L1<br>[mm] | L2<br>[mm] | Holes<br># [DN] | ø K<br>[mm] | ø S<br>[mm] | Holes<br># [DN2] | ø K2<br>[mm] | ø S2<br>[mm] | G<br>[kg] |  |
|--------------|-----------------|------|--------------|------------------|-----------|------------|------------|-----------------|-------------|-------------|------------------|--------------|--------------|-----------|--|
| FFC 300/200  | 1.01FFC3.030030 | PN16 | 300          | 200              |           |            |            | 12              | 410         | 28          | 12               | 295          | 23           | 153       |  |
| FFC 300/250  | 1.01FFC3.030040 | PN16 | 300          | 250              |           |            |            | 12              | 410         | 28          | 12               | 355          | 28           | 126       |  |
| FFC 300/300  | 1.01FFC3.030050 | PN16 | 300          | 300              |           |            |            | 12              | 410         | 28          | 12               | 410          | 28           | 146       |  |
| FFC 350/100  | 1.01FFC3.030060 | PN16 | 350          | 100              |           |            |            | 16              | 470         | 28          | 8                | 180          | 19           | 180       |  |
| FFC 350/150  | 1.01FFC3.030070 | PN16 | 350          | 150              |           |            |            | 16              | 470         | 28          | 8                | 240          | 23           | 186       |  |
| FFC 350/200  | 1.01FFC3.030080 | PN16 | 350          | 200              |           |            |            | 16              | 470         | 28          | 12               | 295          | 23           | 190       |  |
| FFC 350/250  | 1.01FFC3.030090 | PN16 | 350          | 250              |           |            |            | 16              | 470         | 28          | 12               | 355          | 28           | 200       |  |
| FFC 350/300  | 1.01FFC3.030100 | PN16 | 350          | 300              |           |            |            | 16              | 470         | 28          | 12               | 410          | 28           | 220       |  |
| FFC 350/350  | 1.01FFC3.030110 | PN16 | 350          | 350              |           |            |            | 16              | 470         | 28          | 16               | 470          | 28           | 225       |  |
| FFC 400/150  | 1.01FFC3.040010 | PN16 | 400          | 150              |           |            |            | 16              | 525         | 31          | 8                | 240          | 23           | 130       |  |
| FFC 400/200  | 1.01FFC3.040020 | PN16 | 400          | 200              |           |            |            | 16              | 525         | 31          | 12               | 295          | 23           | 235       |  |
| FFC 400/250  | 1.01FFC3.040030 | PN16 | 400          | 250              |           |            |            | 16              | 525         | 31          | 12               | 355          | 28           | 255       |  |
| FFC 400/300  | 1.01FFC3.040040 | PN16 | 400          | 300              |           |            |            | 16              | 525         | 31          | 12               | 410          | 28           | 275       |  |
| FFC 400/350  | 1.01FFC3.040050 | PN16 | 400          | 350              |           |            |            | 16              | 525         | 31          | 16               | 470          | 28           | 290       |  |
| FFC 400/400  | 1.01FFC3.040060 | PN16 | 400          | 400              |           |            |            | 16              | 525         | 31          | 16               | 525          | 31           | 300       |  |
| FFC 450/450  | 1.01FFC3.040070 | PN16 | 450          | 450              |           |            |            | 20              | 585         | 31          | 20               | 585          | 31           | 380       |  |
| FFC 500/200  | 1.01FFC3.050010 | PN16 | 500          | 200              |           |            |            | 20              | 650         | 34          | 12               | 295          | 23           | 350       |  |
| FFC 500/250  | 1.01FFC3.050020 | PN16 | 500          | 250              |           |            |            | 20              | 650         | 34          | 12               | 355          | 28           | 360       |  |
| FFC 500/300  | 1.01FFC3.050030 | PN16 | 500          | 300              |           |            |            | 20              | 650         | 34          | 12               | 410          | 28           | 380       |  |
| FFC 500/350  | 1.01FFC3.050040 | PN16 | 500          | 350              |           |            |            | 20              | 650         | 34          | 16               | 470          | 28           | 400       |  |
| FFC 500/400  | 1.01FFC3.050050 | PN16 | 500          | 400              |           |            |            | 20              | 650         | 34          | 16               | 525          | 31           | 420       |  |
| FFC 500/500  | 1.01FFC3.050060 | PN16 | 500          | 500              |           |            |            | 20              | 650         | 34          | 20               | 650          | 34           | 440       |  |
| FFC 600/200  | 1.01FFC3.060010 | PN16 | 600          | 200              |           |            |            | 20              | 770         | 37          | 12               | 295          | 23           | 430       |  |
| FFC 600/250  | 1.01FFC3.060020 | PN16 | 600          | 250              |           |            |            | 20              | 770         | 37          | 12               | 355          | 28           | 445       |  |
| FFC 600/300  | 1.01FFC3.060030 | PN16 | 600          | 300              |           |            |            | 20              | 770         | 37          | 12               | 410          | 28           | 460       |  |
| FFC 600/350  | 1.01FFC3.060040 | PN16 | 600          | 350              |           |            |            | 20              | 770         | 37          | 16               | 470          | 28           | 485       |  |
| FFC 600/400  | 1.01FFC3.060050 | PN16 | 600          | 400              |           |            |            | 20              | 770         | 37          | 16               | 525          | 31           | 520       |  |
| FFC 600/500  | 1.01FFC3.060060 | PN16 | 600          | 500              |           |            |            | 20              | 770         | 37          | 20               | 650          | 34           | 560       |  |
| FFC 600/600  | 1.01FFC3.060070 | PN16 | 600          | 600              |           |            |            | 20              | 770         | 37          | 20               | 770          | 37           | 625       |  |
| FFC 700/300  | 1.01FFC3.070010 | PN16 | 700          | 300              |           |            |            | 24              | 840         | 37          | 12               | 410          | 28           | 400       |  |
| FFC 700/350  | 1.01FFC3.070020 | PN16 | 700          | 350              |           |            |            | 24              | 840         | 37          | 16               | 470          | 28           | 410       |  |
| FFC 700/400  | 1.01FFC3.070030 | PN16 | 700          | 400              |           |            |            | 24              | 840         | 37          | 16               | 525          | 31           | 450       |  |
| FFC 700/500  | 1.01FFC3.070040 | PN16 | 700          | 500              |           |            |            | 24              | 840         | 37          | 20               | 650          | 34           | 515       |  |
| FFC 700/600  | 1.01FFC3.070050 | PN16 | 700          | 600              |           |            |            | 24              | 840         | 37          | 20               | 770          | 37           | 625       |  |
| FFC 700/700  | 1.01FFC3.070060 | PN16 | 700          | 700              |           |            |            | 24              | 840         | 37          | 24               | 840          | 37           | 870       |  |
| FFC 800/400  | 1.01FFC3.080010 | PN16 | 800          | 400              |           |            |            | 24              | 950         | 41          | 16               | 525          | 31           | 835       |  |
| FFC 800/500  | 1.01FFC3.080020 | PN16 | 800          | 500              |           |            |            | 24              | 950         | 41          | 20               | 650          | 34           | 750       |  |
| FFC 800/600  | 1.01FFC3.080030 | PN16 | 800          | 600              |           |            |            | 24              | 950         | 41          | 20               | 770          | 37           | 840       |  |
| FFC 800/700  | 1.01FFC3.080040 | PN16 | 800          | 700              |           |            |            | 24              | 950         | 41          | 24               | 840          | 37           | 860       |  |
| FFC 800/800  | 1.01FFC3.080050 | PN16 | 800          | 800              |           |            |            | 24              | 950         | 41          | 24               | 950          | 41           | 1295      |  |
| FFC 900/400  | 1.01FFC3.090010 | PN16 | 900          | 400              |           |            |            | 28              | 1050        | 41          | 16               | 525          | 31           | 700       |  |
| FFC 900/500  | 1.01FFC3.090020 | PN16 | 900          | 500              |           |            |            | 28              | 1050        | 41          | 20               | 650          | 34           | 790       |  |
| FFC 900/600  | 1.01FFC3.090030 | PN16 | 900          | 600              |           |            |            | 28              | 1050        | 41          | 20               | 770          | 37           | 860       |  |
| FFC 900/700  | 1.01FFC3.090040 | PN16 | 900          | 700              |           |            |            | 28              | 1050        | 41          | 24               | 840          | 37           | 1000      |  |
| FFC 900/800  | 1.01FFC3.090050 | PN16 | 900          | 800              |           |            |            | 28              | 1050        | 41          | 24               | 950          | 41           | 1200      |  |
| FFC 900/900  | 1.01FFC3.090060 | PN16 | 900          | 900              |           |            |            | 28              | 1050        | 41          | 28               | 1050         | 41           | 1350      |  |
| FFC 1000/400 | 1.01FFC3.100010 | PN16 | 1000         | 400              |           |            |            | 28              | 1170        | 44          | 16               | 525          | 31           | 890       |  |

**Tee 45° branch (FFC) PN10/16**

| Article       | Article Nr.     | PN   | ø DN<br>[mm] | ø<br>DN2<br>[mm] | L<br>[mm] | L1<br>[mm] | L2<br>[mm] | Holes<br># [DN] | ø K<br>[mm] | ø S<br>[mm] | Holes<br># [DN2] | ø K2<br>[mm] | ø S2<br>[mm] | G<br>[kg] |  |
|---------------|-----------------|------|--------------|------------------|-----------|------------|------------|-----------------|-------------|-------------|------------------|--------------|--------------|-----------|--|
| FFC 1000/500  | 1.01FFC3.100020 | PN16 | 1000         | 500              |           |            |            | 28              | 1170        | 44          | 20               | 650          | 34           | 990       |  |
| FFC 1000/600  | 1.01FFC3.100030 | PN16 | 1000         | 600              |           |            |            | 28              | 1170        | 44          | 20               | 770          | 37           | 1080      |  |
| FFC 1000/700  | 1.01FFC3.100040 | PN16 | 1000         | 700              |           |            |            | 28              | 1170        | 44          | 24               | 840          | 37           | 1180      |  |
| FFC 1000/800  | 1.01FFC3.100050 | PN16 | 1000         | 800              |           |            |            | 28              | 1170        | 44          | 24               | 950          | 41           | 1380      |  |
| FFC 1000/900  | 1.01FFC3.100060 | PN16 | 1000         | 900              |           |            |            | 28              | 1170        | 44          | 28               | 1050         | 41           | 1600      |  |
| FFC 1000/1000 | 1.01FFC3.100070 | PN16 | 1000         | 1000             |           |            |            | 28              | 1170        | 44          | 28               | 1170         | 44           | 1735      |  |